

From: Sysco Regulatory Communications <RegulatoryCommunications@corp.sysco.com>

Subject: URGENT – THE PRODUCE COMPANY FOODS RECALL of CELERY (MUA)

Date: Sat, Nov 28, 2015 10:11 am

Attachments: C&E Farms Celery Recall Notice update.doc (60K)

**URGENT – THE PRODUCE COMPANY FOODS RECALL of CELERY (MUA)
IMMEDIATE ACTION NECESSARY**

Please be aware that receipt of this communication is NOT confirmation that you have received affected product. This correspondence has been distributed as a courtesy to Sysco customer corporate contacts as a notification of a general recall/withdrawal/hold situation. If the unit locations received affected product, they will be contacted by the Sysco Operating Company that services them. If any one of your locations purchased this item(s), regardless of distributor, it is recommended that you check your inventory for affected product.

THIS PRODUCT IS A REPORTABLE FOOD.

Sysco Quality Assurance received notification that The Produce Company is conducting a voluntary product RECALL of celery.

This recall is being initiated because the celery may be contaminated with E. coli 0157:H.

THE AFFECTED PRODUCTS AND LOT CODES ARE AS FOLLOWS:

<u>SUPC</u>	<u>PACK/SZ</u>	<u>BRAND</u>	<u>DESCRIPTION</u>	<u>LOT CODE</u>
6931653	1/5 LB	PACKER	Celery Diced 1/4" (1/5lb)	68004
5097209	4/5 LB	PACKER	Celery Diced 3/8" (4/5lb)	68004
1433457	1/10 LB	PACKER	Celery Stalk 12" (1/10lb)	68004
8586984	4/5 LB	PACKER	Celery Stick 4" (4/5lb)	67934 & 68004
			Celery Diced 1/2" (1/5lb)	67936

THE FOLLOWING OPERATING COMPANIES RECEIVED AFFECTED PRODUCTS:

SYSCO CENTRAL CALIFORNIA
SYSCO SACRAMENTO

PLEASE TAKE THE FOLLOWING ACTIONS:

1. Review your inventory for the above listed products.
2. If any of the product(s) in question is in inventory, place the product on hold and retain any empty cases/shippers.

3. **Do not dispose of product unless specifically instructed by Sysco via formal notice.**
4. A Sysco Operating Company representative will contact your location to arrange for product replacement and/or credit.
5. If you have any questions regarding this recall action, please contact your Sysco representative immediately.

Please be aware that this RECALL is being made with the knowledge of the Food and Drug Administration (**FDA**) therefore you may be contacted as part of their effectiveness check program.

BCC: 000-MUA.RECALL <000-MUA.RECALL@corp.sysco.com>MUA Recall Cust A-F#1; MUA Recall Cust A-F#2; MUA Recall Cust G-L; MUA Recall Cust M-R; MUA Recall Cust S-Z